

CATÁLOGO DE PRODUCTO

**2017**



***TRIANGLE***

***RADIAL OTR***

## OTR - TB515 G-2/L-2

| CÓDIGO     | MEDIDA                  | STAR RATING |
|------------|-------------------------|-------------|
| TRI175R25A | 17.5R25-TB515 G-2 T2 TL | ★ ★         |



## OTR - TB516 E-3/L-3

| CÓDIGO     | MEDIDA                  | STAR RATING |
|------------|-------------------------|-------------|
| TRI175R25B | 17.5R25 TB516 L-3 T1 TL | ★ ★         |
| TRI205R25A | 20.5R25 TB516 L-3 T1 TL | ★ ★         |
| TRI205R25C | 20.5R25 TB516 E-3 T2 TL | ★ ★         |
| TRI235R25A | 23.5R25 TB516 L-3 T1 TL | ★ ★         |
| TRI235R25C | 23.5R25 TB516 E-3 T2 TL | ★ ★         |
| TRI265R25A | 26.5R25 TB516 L-3 T1 TL | ★ ★         |
| TRI265R25C | 26.5R25 TB516 E-3 T2 TL | ★ ★         |
| TRI295R25A | 29.5R25 TB516 L-3 T1 TL | ★ ★         |
| TRI295R25C | 29.5R25-TB516 E-3 T2 TL | ★ ★         |
| TRI295R29A | 29.5R29-TB516 L-3 T1 TL | ★ ★         |



## OTR - TL598S E-4

| CÓDIGO     | MEDIDA                   | STAR RATING |
|------------|--------------------------|-------------|
| TRI235R25D | 23.5R25 TL598S E-4 T2 TL | ★ ★         |
| TRI265R25D | 26.5R25 TL598S E-4 T2 TL | ★ ★         |
| TRI295R25D | 29.5R25 TL598S E-4 T2 TL | ★ ★         |



## OTR - TB516S E-4

| CÓDIGO      | MEDIDA                             | STAR RATING |
|-------------|------------------------------------|-------------|
| TRI1400R24B | 14.00R24 TB516S E-4 T2 TL TRIANGLE | ★ ★ ★       |
| TRI1400R25A | 14.00R25 TB516S E-4 T2 TL TRIANGLE | ★ ★ ★       |
| TRI1800R25A | 18.00R25 TB516S E-4 T2 TL TRIANGLE | ★ ★         |



## OTR - TB526S E-4

| CÓDIGO       | MEDIDA                             | STAR RATING |
|--------------|------------------------------------|-------------|
| TRI1800R33A  | 18.00R33 TB526S E-4 T2 TL TRIANGLE | ★ ★         |
| TRI2100R35A  | 21.00R35 TB526S E-4 T2 TL TRIANGLE | ★ ★         |
| TRI2400R35A  | 24.00R35 TB526S E-4 T2 TL TRIANGLE | ★ ★         |
| TRI2400R35-B | 24.00R35 TB526S E-4 T3             | ★ ★         |



## OTR - TB536 G-2 / E-2

| CÓDIGO      | MEDIDA                   | STAR RATING |
|-------------|--------------------------|-------------|
| TRI1400R24A | 14.00R24 TB536 G-2 T2 TL | ★           |
| TRI1400R25B | 14.00R25 TB536 E-2 T2 TL | ★ ★ ★       |



## OTR - TB586 E-2

| CÓDIGO      | MEDIDA                               | STAR RATING |
|-------------|--------------------------------------|-------------|
| TRI1400R24C | 14.00R24 TB586 E-2 T3 TT             | ★★★         |
| TRI1600R25A | 16.00R25 TB586 (445/95R25) E-2 T3 TT | ★★★         |



## OTR - TL535+ L-5

| CÓDIGO      | MEDIDA                     | STAR RATING |
|-------------|----------------------------|-------------|
| TRI3563R33A | 35/65R33-TL535S+ L-5 T1 TL | ★★          |



## OTR - TL538S+ L-5

| CÓDIGO     | MEDIDA                    | STAR RATING |
|------------|---------------------------|-------------|
| TRI205R25B | 20.5R25 TL538S+ L-5 T1 TL | ★★          |
| TRI235R25B | 23.5R25 TL538S+ L-5 T1 TL | ★★          |
| TRI265R25B | 26.5R25-TL538S+ L-5 T1 TL | ★★          |
| TRI265R25B | 29.5R25-TL538S+ L-5 T1 TL | ★★          |



## OTR - TL558S E-4

| CÓDIGO      | MEDIDA                             | STAR RATING |
|-------------|------------------------------------|-------------|
| TRI1600R25B | 16.00R25 TL558S E-4 T2 TL TRIANGLE | ★★          |
| TRI1800R25B | 18.00R25 TL558S E-4 T2 TL TRIANGLE | ★★★         |



## OTR - TSMS+ L-5S

| CÓDIGO      | MEDIDA                    | STAR RATING |
|-------------|---------------------------|-------------|
| TRI1800R25C | 18.00R25 TSMS+ L-5S T1 TL | ★★          |
| TRI265R25E  | 26.5R25 TSMS+ L-5S T1 TL  | ★★          |



## OTR - TL559S+ L5

| CÓDIGO    | MEDIDA                | STAR RATING |
|-----------|-----------------------|-------------|
| TRI29R25E | 29.5R25 TL559S+ L5 TL | ★★          |



Type T1: Low speed, highly resistant to cutting and abrasion

Type T2: A compromise between resistance to abrasion and cutting

Type T3: Engineered to cope with high speed travel on long hauls

For which tread compound to use, the customer can contact the RadialOTR technical department of Triangle Group

Note: Several types of tread compounds



Tel. +52 444 824 84 43

[www.gmxprime.com](http://www.gmxprime.com)